

Advanced Insecticide Products

Total Release Aerosol

For Use indoors in Homes

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
* Piperonyl butoxide	0.10%
** N-Octyl bicycloheptene dicarboximide	0.16%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.10%
OTHER INGREDIENTS	99.59%
	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds
** MGK® 264, Insecticide Synergist

FIRST AID

IF ON SKIN OR CLOTHING:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:
- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or a doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IF INHALED:
- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Distributed By Chem-Tech, Ltd.
4515 Fleur Drive, Des Moines, IA 50321

EPA Reg. No. 1021-1635-47000 EPA Est. No. 47000-IA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET WEIGHT 6 OZ.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

This product will kill Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths, Sowbugs, Spiders and Ticks.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR COMPLETE DIRECTIONS FOR USE SEE ATTACHED BOOKLET

READ ENTIRE LABEL BEFORE EACH USE.
GENERAL PRECAUTIONS AND RESTRICTIONS:
Does not control bed bugs

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.
For use only when building has been vacated by human beings and pets. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter the treated area, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. **Pesticide Disposal and Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

10/13

Federal Regulations prohibit CFC propellants in aerosols.

CONTAINS NO CFCs WHICH DEPLETE THE OZONE LAYER
NO CFCs



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.
GENERAL PRECAUTIONS AND RESTRICTIONS:
Does not control bed bugs

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.
For use only when building has been vacated by human beings and pets. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter the treated area, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

To Use This Product Correctly: DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. X 5 ft.with an 8 ft. ceiling or smaller; instead, allow fog to enter from other rooms.

Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Use only one canister of fogger to treat a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.

Before you Fog: In the home, exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.



Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds, cover and turn off fish aquariums before activating fogger. Place a chair, small table or stand in the center of the room to be treated and cover with newspaper.

Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets and doors in areas to be treated.

Fill out and place hang-tag on the door to the treated are to alert family and others with access to the treated area not to enter for 2 hours.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

TO START FOGGING: Point fogger away from face and eyes when releasing (container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up).] Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit or other structure immediately. Do not remain in the area during treatment. Keep treated area closed for two (2) hours.

Do not Re-enter for 2 hours

AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.



PEEL AWAY TO SEE COMPLETE DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS ⟹

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises. Also, treat your yard with a product registered for yard application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. **Pesticide Disposal and Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient  Ingrediente Altamente Inflamable

Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

This product will kill Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths, Sowbugs, Spiders and Ticks.

FIRST AID

IF ON SKIN OR CLOTHING:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:
- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or a doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IF INHALED:
- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

SureKill

Aerosol de Liberación Total

Para uso al interior del hogar

INGREDIENTES ACTIVOS:

Piretrinas	0.05%
* Butóxido de piperonilo	0.10%
** N-Octyl biciclohepteno dicarboximida	0.16%
(S)-ciano(3-fenoxyfenil)metil-(S)-4-cloro-alfa-(1-metiletil)benzenoacetato	0.10%
OTROS INGREDIENTES	99.59%
	100.00%

* (butilcarbitil) (6-propilpirperonil) éter y compuestos relacionados
** MGK® 264, Sinergista Insecticida

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN

PRIMEROS AUXILIOS

EN LA PIEL O EN LA ROPA: Quítese la ropa contaminada. • Enjuague la piel inmediatamente con agua abundante durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir consejos para el tratamiento.

EN LOS OJOS: Mantenga el ojo abierto y enjuáguelo lenta y cuidadosamente con agua durante 15 a 20 minutos. • Retire los lentes de contacto, si los tiene, después de los primeros 5 minutos. Después continúe enjuagando el ojo. • Llame a un centro de control de envenenamientos o a un médico para recibir consejos para el tratamiento.

SI ES INGERIDO: Llame inmediatamente a un centro de control de envenenamientos o a un médico. • No induzca el vómito a menos que así le sea indicado por el centro de control de envenenamientos o un médico. • No de ningún líquido a la persona. • No suministre nada por la boca a una persona inconsciente.

SI ES INHALADO: Lleve a la persona al aire libre. • Si la persona no está respirando, llame al número de emergencias 911 o a una ambulancia. Luego dele respiración artificial, preferiblemente boca a boca de ser posible. • Llame a un centro de control de envenenamientos o a un médico para recibir consejos adicionales para el tratamiento.

Tenga con usted el recipiente del producto o la etiqueta cuando llame a un centro de control de envenenamientos o a un médico, o cuando vaya a recibir tratamiento. Para obtener información sobre emergencias médicas o incidentes con pesticidas, llame al 1-888-740-8712.

Fabricado para Chem-Tech, Ltd.
4515 Fleur Drive, Des Moines, IA 50321

Reg. EPA No. 1021-1635-47000 Est. EPA No. 47000-IA-1

Peso Neto 6 oz. (170 g)

ADVERTENCIAS
RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN

Respirar el rocío del aerosol puede ser dañino. Perjudicial si es inhalado o absorbido a través de la piel. Causa irritación moderada de los ojos. Evite el contacto con la piel, los ojos o la ropa. Evite respirar los vapores o el rocío del aerosol. Lávese completamente con jabón y agua después de manipular y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño. Los usuarios deben usar una camisa de mangas largas, pantalones largos y zapatos con medias. Quite y lave la ropa contaminada antes de usarla.

RIESGOS FÍSICOS O QUÍMICOS

Highly Flammable Ingredient  Ingrediente Altamente Inflamable

• Inflamable. Contenido bajo presión. No lo guarde cerca al calor o llamas expuestas. No perfore o incinere el contenedor. Puede explotar si se expone a temperaturas superiores a los 54°C (130°F). Este producto contiene un ingrediente altamente inflamable. Puede causar un incendio o una explosión si no se usa adecuadamente. Siga muy cuidadosamente el Modo de Empleo de esta etiqueta.

Este producto matará Hormigas, Cucarachas, Escarabajos de la Harina, Grillos, Pulgas, Moscas Comunes, Mosquitos, Gorgojos del Arroz, Escarabajos de Granos con Dientes de Sierra, Polillas Voladoras Pequeñas, Cochinillas, Arañas y Garrapatas.

MODO DE EMPLEO

Es una violación a la ley federal utilizar este producto de una manera inconsistente con el modo de empleo indicado en la etiqueta.

LEA COMPLETAMENTE LA ETIQUETA ANTES DE CADA USO.
PRECAUCIONES Y RESTRICCIONES GENERALES:
No controla las chinches.

No aplique este producto de forma que entre en contacto directo o indirecto por aspersión con adultos, menores o mascotas.
Para usar únicamente cuando hayan sido evacuados de la edificación los seres humanos y las mascotas. Retire las mascotas y las aves, y cubra las peceras antes de utilizarlo. No permita que adultos, niños o mascotas ingresen al área tratada hasta que los vapores, rocíos y aerosoles se hayan dispersado, y el área tratada haya sido ventilada completamente.

Espere dos (2) horas después de la aplicación; después, abra las ventas, las rejillas de ventilación y las puertas durante dos (2) horas. Si todavía se puede detectar algún olor, se requiere ventilación adicional.

PARA USAR ESTE PRODUCTO CORRECTAMENTE: NO use más de un nebulizador por habitación. NO use en espacios pequeños y cerrados, tales como clósets, armarios, o debajo de mostradores o mesas. **El uso de un nebulizador en un espacio cerrado puede hacer que el producto explote, lo que puede dar como resultado lesiones personales o daño a la propiedad.** No use en una habitación de 1.5 m x 1.5 m (5' x 5') con un techo de 2.5 m (8') o de menores dimensiones; deje que la niebla ingrese desde las otras habitaciones.

Apague TODAS las fuentes de ignición, tales como las llamas piloto (cierre las válvulas de gas), otras llamas expuestas o electrodomésticos en funcionamiento que se prendan y se apaguen automáticamente (esto es, neveras, termostatos, etc.). Llame a su empresa de gas o a la administración de su edificación si necesita ayuda con las llamas piloto.





Use solamente una lata nebulizadora para tratar una habitación hasta de 8 m x 8 m (27' x 27') con un techo de 2.5 m (8'), o 170 metros cúbicos (6000 pies cúbicos) de espacio sin obstrucciones.

ANTES DE REALIZAR LA ASPERSIÓN: Se deben cubrir o retirar los alimentos expuestos en el hogar. Todas las superficies y utensilios para la preparación de alimentos deben cubrirse durante el tratamiento, o deben lavarse completamente antes de usarse.



Cierre las puertas y ventanas exteriores. Apague los ventiladores, aires acondicionados y equipos de ventilación. Apague todas las llamas, llamas piloto y otras fuentes de ignición. Llame a su empresa de gas o a la administración de su edificación si necesita ayuda.

Retire las mascotas y las aves, cubra y apague las peceras antes de activar el nebulizador. Coloque una silla, una mesa o pedestal pequeños en el centro de la habitación que va a ser tratada, y cúbralo con papel periódico.

Cubra con papel periódico o un trapo protector los pisos y los muebles de madera en el área inmediatamente adyacente al nebulizador. Abra los armarios, las despensas, los cajones, los clósets y las puertas en las áreas que van a ser tratadas.

Rellene y coloque la etiqueta colgante en la puerta del área tratada para prevenir a la familia y demás personas con acceso a ella que no ingresen durante 2 horas.

AGITE BIEN ANTES DE USARLO. MANTENGA EL CONTENEDOR EN POSICIÓN VERTICAL.

PARA COMENZAR LA ASPERSIÓN: Mantenga el nebulizador orientado lejos de la cara y los ojos cuando sea liberado (el contenedor rocía hacia arriba). Para bloquear la válvula en la posición abierta para la descarga automática, presione firmemente el botón de la válvula hasta que encaje en su sitio. [Parta y retire la lengüeta al lado del aspersor. Incline el aspersor lejos de la cara (el contenedor rocía hacia arriba).] Después coloque el nebulizador en el pedestal o en la mesa en el centro de la habitación.

Evacúe la casa, unidad de vivienda individual u otra estructura inmediatamente. No permanezca en el área durante el tratamiento. Mantenga el área tratada cerrada durante dos (2) horas.

No vuelva a ingresar durante 2 horas.

VENTILACIÓN: Espere dos (2) horas después de la aplicación; después, abra las ventas, las rejillas de ventilación y las puertas durante dos (2) horas. Si todavía se puede detectar algún olor, se requiere ventilación adicional.



Para matar Garrapatas y Pulgas: Destruya la ropa de cama vieja de mascotas y remplácela con ropa limpia y fresca después de haber completado el tratamiento. Use el producto como se indica arriba. Las mascotas deben ser tratadas con un producto para el control de pulgas y garrapatas antes de volver a ingresar a los espacios tratados. También trate su jardín con un producto registrado para ser aplicado en jardines.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para humanos o animales al almacenar o disponer del producto. **Almacenamiento del pesticida:** Almacene en un lugar fresco y seco. Siempre almacene los pesticidas en sus envases originales. Almacene lejos de alimentos para seres humanos y mascotas. **Eliminación del pesticida y manipulación del recipiente:** ¡No lo perfore ni lo incinere! Envase no rellenable. No reutilice o vuelva a llenar este recipiente. Si está vacío: Deposítelo en la basura u entréguelo para reciclaje si hay disponible. Si queda producto en el envase: Llame a su agencia local de eliminación de residuos y pida instrucciones.

Las regulaciones federales prohíben los propulsores de CFC en los aerosoles